



DIMENSIONS FOR MODELS

ACS#2-XXXXX-GCV
 -GKV
 -GTV
 XXXXX = CYLINDER SIZE

MODEL	SIZE ml	DIV ml	A inches	B inches	ØC inches	ØD inches	E Socket	ØF inches
ACS#2-	100	1.0	10.00	13.75	3.00	2.50	1/2" SW FLG	3.50
	250	2.0	12.75	16.50	3.50	3.00	1/2" SW FLG	3.50
	500	5.0	14.50	18.25	4.00	3.50	1/2" SW FLG	3.50
	1000	10.0	16.75	20.50	4.75	4.25	1/2" SW FLG	3.50
	2000	20.0	18.75	23.13	5.50	5.00	1" SW FLG	4.25
	4000	25.0	22.50	26.88	6.50	6.00	1" SW FLG	4.25
	6000	50.0	20.13	25.13	8.00	7.50	2" SW FLG	6.00
	8000	50.0	24.63	29.63	8.00	7.50	2" SW FLG	6.00
	10000	50.0	30.13	35.13	8.00	7.50	2" SW FLG	6.00
20000	50.0	43.25	48.25	9.00	8.50	2" SW FLG	6.00	

NOTE: DIMENSIONS SUBJECT TO CHANGE WITHOUT NOTICE.

NOTE:

I. CLASS I50# ASME BI6.5 SW FLANGE.

DO NOT COPY WITHOUT PRIOR WRITTEN APPROVAL FROM PRIMARY FLUID SYSTEMS. ACCEPTABILITY OF SPECIFICATIONS ARE THE CLIENT'S RESPONSIBILITY.

Primary Fluid Systems Inc.

ACCUDRAW Glass Calibration Cylinder – ACS#2
 DIMENSIONS FOR SW FLANGE VERSION (PLASTIC)

1	20000 DIV 50.0 WAS 200.0	9/21/2015	FS	SCALE: NTS	DISC	DRAWN BY: VW	
REV	DESCRIPTION	DATE	NAME	DATE ISSUED: 01-DEC-09	APPROVED	DWG NO.	REV.#
				PROJECT		ACS2-PLS-FLG	1