


DIMENSIONS FOR MODELS

ACS#2-XXXXX-GTV

ACS#2-XXXXX-GCV

ACS#2-XXXXX-GKV

XXXXX = CYLINDER SIZE



MODEL	SIZE ml	DIV ml	A inches	B inches	C inches	D inches	E Thread
ACS#2-	100	1.0	10.00	11.00	3.00	2.50	1/2" FNPT
	250	2.0	12.75	13.50	3.50	3.00	1/2" FNPT
	500	5.0	14.50	15.50	4.00	3.50	1/2" FNPT
	1000	10.0	16.75	17.75	4.75	4.25	1/2" FNPT
	2000	20.0	18.75	19.75	5.50	5.00	1" FNPT
	4000	25.0	22.50	23.50	6.50	6.00	1" FNPT
	6000	50.0	20.128	21.16	8.00	7.50	2" FNPT
	8000	50.0	24.628	25.66	8.00	7.50	2" FNPT
	10000	50.0	30.128	31.16	8.00	7.50	2" FNPT
20000	50.0	43.25	44.25	9.00	8.50	2" FNPT	

NOTE: DIMENSIONS SUBJECT TO CHANGE WITHOUT NOTICE.

DO NOT COPY WITHOUT PRIOR WRITTEN APPROVAL FROM PRIMARY FLUID SYSTEMS. ACCEPTABILITY OF SPECIFICATIONS ARE THE CLIENT'S RESPONSIBILITY.

**Primary Fluid Systems Inc.**

ACCUDRAW Glass Calibration Cylinder – ACS#2  
THERMOPLASTIC DIMENSIONS

4	20000 DIV 50.0 WAS 200.0	9/21/2015	FS	SCALE: NTS	DISC	DRAWN BY: BCB	
REV	DESCRIPTION	DATE	NAME	DATE: 09 05 07	APPROVED	DWG NO.	REV.#
				PROJECT		ACS2-PLA	4