



DIMENSIONS FOR MODELS
 ACS#2-xxxx-GTV
 ACS#2-xxxx-GCV
 ACS#2-xxxx-GKV
 xxxx = CYLINDER SIZE

MODEL	SIZE ml	DIV ml	A inches	B inches	C inches	D inches	E Thread
ACS#2-	100	1.0	10.00	11.00	3.00	2.50	1/2" FNPT
	250	2.0	12.50	13.50	3.50	3.00	1/2" FNPT
	500	5.0	14.50	15.50	4.00	3.50	1/2" FNPT
	1000	10.0	16.75	17.75	4.75	4.25	1/2" FNPT
	2000	20.0	18.75	19.75	5.50	5.00	1" FNPT
ACS#2-	4000	25.0	22.50	23.50	6.50	6.00	1" FNPT
	6000	50.0	20.128	21.16	8.00	7.50	1" FNPT
	8000	50.0	24.628	25.66	8.00	7.50	2" FNPT
	10000	50.0	30.128	31.16	8.00	7.50	2" FNPT
	20000	200.0	43.25	44.25	9.00	8.50	2" FNPT

DIMENSIONS SUBJECT TO CHANGE WITHOUT NOTICE

DO NOT COPY WITHOUT PRIOR WRITTEN APPROVAL FROM PRIMARY FLUID SYSTEMS. ACCEPTABILITY OF SPECIFICATIONS ARE THE CLIENT'S RESPONSIBILITY.

Primary Fluid Systems Inc.

ACCUDRAW Glass Calibration Cylinder - ACS#2			
THERMOPLASTIC DIMENSIONS			
SCALE	NTS	DISC	DRAWN BY BCB
DATE	09 05 07	APPROVED	DWG NO.
PROJECT			ACS2-PLA
			REV #
			2